


PurChem™

Product Data

Product: Chelerythrine Chloride

Product Number: VCTI-1298-01

Structure:



Material Identification	
Source	(<i>Macleaya cordata</i> and <i>microcarpa</i>)
CAS Number	3895-92-9
PubChem Substance ID	24278305
Description	Potent and selective inhibitor of Protein Kinase C.
Chemical Formula	C ₂₁ H ₁₈ ClN ₀₄
Chemical Name	1,2-Dimethoxy-12-[1,3] benzodioxolo [5,6-c] phenanthridinium chloride
Molecular Weight:	M.W. 383.8
Solubility	Soluble in Water and DMSO
Boiling Point / Melting Point	BP/MP: 208-209°C
Active Product:	N
Appearance	Yellow Solid, Powder
Infrared Spectra (KBr)	Matches Standard
Purity (HPLC)	
Sanguinarine	0.8%
Chelerythrine	99.2 %
Norsanguinarine	< 0.1%
Water (By Weight)	2.6%
Solubility	
DMSO	10mg/mL
Water	1mg/mL
Storage	As supplied, 1 yr. 0-4 ⁰ C ; Solution, 1 month -20° C
Handling	Store in tightly sealed vial

References

1. Merck Index., 1996., 12, 2093.,
2. Eckly-Michel, A.E., et al., Chelerythrine, a protein kinase C inhibitor, interacts with cyclic nucleotide phosphodiesterases. *Eur. J. Pharmacol.*, 324(1), 85-88 (1997).
3. Herbert, J.M., et al., Chelerythrine is a potent and specific inhibitor of protein kinase C. *Biochem. Biophys. Res. Comm.*, 172(3), 993-999 (1990).
4. Colombo, M.L., and Bosisio, E., Pharmacological activities of *Chelidonium majus* L. (Papaveraceae). *Pharmacol. Res.*, 33(2), 127-134 (1996).
5. Hiruma, H., *et al.*, Axonal transport is inhibited by a protein kinase C inhibitor in cultured isolated mouse dorsal root ganglion cells. *Brain Res.*, 826(1), 135-138 (1999).
6. Chao, M.D., et al., Inhibition of protein kinase C translocation from cytosol to membrane by chelerythrine. *Planta Med.*, 64(7), 662-663 (1998).
7. Jarvis, W.D., *et al.*, Induction of apoptotic DNA fragmentation and cell death in HL-60 human promyelocytic leukemia cells by pharmacological inhibitors of protein kinase C. *Cancer Res.*, 54(7), 1707-1714 (1994).
8. Newton, S. M., et al., The evaluation of forty-three plant species for *in vitro* antimycobacterial activities; isolation of active constituents from *Psoralea corylifolia* and *Sanguinaria canadensis*. *J. Ethnopharmacol.*, 79(1), 57-67 Q002).
7. Freerman, A.J., et al., Role of c-jun in human myeloid leukemia cell apoptosis induced by pharmacological inhibitors of protein kinase C. *Mol. Pharmacol.* 49(5), 788-795 (1996).
9. Sevcik, J., et al., Capillary electrophoretic determination of sanguinarine and chelerythrine in plant extracts and pharmaceutical preparations. *J. Chromatogr. A*, 866(2), 293-298 (2000).